


652050" 00933260

APPROVED BY	O.G. FIG.	
DRAFTSMAN	CLASS	SUBCLASS


1/71

FIG. 1




2 / 71

FIG. 2



00988260 002060

FIG. 4



66000" 009982660

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG. 6






FIG. 7




10 / 71

FIG. 10




11 / 71

FIG. 11



12 / 71

FIG. 12



662669" 0038660

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

15/71

FIG. 15

FIG. 15 is a diagram of an "ID INPUT SCREEN". The screen is divided into several sections:

- Top Bar:** Contains buttons for "COPY" (highlighted with a hatched pattern), "SEND", "RETRIEVE", "TASKS", "MGMT", and "CONFIG".
- Main Input Area:** A large rectangular frame containing:
 - Text:** "Please Enter Your ID Number".
 - Input Fields:** Two fields labeled "ID" (312) and "PassWord" (313). The "ID" field contains the digit "1".
 - Keypad (314):** A numeric keypad with buttons for digits 1-9, 0, and a "C" (clear) button.
 - OK Button (315):** A button labeled "OK" located below the keypad.
- Bottom Bar:** Contains buttons for "Shift", "Image Creation", "Special Features", and "Start".


Reference numerals 311, 312, 313, 314, and 315 point to the main screen frame, the ID field, the Password field, the keypad, and the OK button, respectively.

652068" 00988E60

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

16 / 71

FIG. 16



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

17 / 71

FIG. 17

COPY

SEND

RETRIEVE

TASKS

MGMT

CONFIG

Standard Settings

Ready to copy

100% LTR 1

1:1 Zoom Paper Select

Sorter 2-Sided Copy

Special Features

Shift Image Creation

Special Features

Start

Printer

CanonGP

CanonGP

LBP-BEAN

7 8 9

C 0

341

AE

Photo

PRINTER LIST

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

18 / 71

FIG. 18

COPY

SEND

RETRIEVE

TASKS

MGMT

CONFIG

Standard Settings

Ready to copy

100% LTR

1

1:1 Zoom

Paper Select

Printer

CanonGP215

1 2 3 4 5 6 7 8 9 C 0

Photo

Photo

Photo/Text

Text

Sorter

2-Sided Copy

Special Features

Shift

Image Creation

Start

342 IMAGE QUALITY LIST

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

19/71

FIG. 19

78% LGL ▶ LTR

73% 11×17 ▶ LGL
11×15 ▶ LTR

64% 11×17 ▶ LTR

50%

25% MIN

100 %

-

+

☐ Auto

☐ Entire Image

800% MAX

400%

200%

129% LTR ▶ 11×17

121% LGL ▶ 11×17

ZoomProgram

XYZoom

Multi-pg Enlarge

Cancel

OK

ENLARGE/REDUCE SETTING SUB SCREEN


343

662060" 00533260

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

20 / 71

FIG. 20



☐ Stack Bypass

☐ Stack Bypass Size

☐ Auto Paper Select

☐ LGL R

☐ LGL

☐ LTR

☐ STMT

☐ LGL

Cancel

OK

PAPER SELECT SUB SCREEN

344

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

23 / 71

FIG. 23

COPY

SEND

RETRIEVE

TASKS

MGMT

CONFIG

353Destination

352Carrot System TASKS/Canon/Inc/JP
o Micky Rabbit/Jiji Team/Carrot Proj
o Minny Rabbit/Jiji Team/Carrot Proj
Minny Rabbit/Jiji Team/Carrot Proj
minny@abc.def.com
+12(3)4567 9876
CanonGP/Jiji Team/Carrot Project/C
o BEAN
HOME/Jiji Team/Carrot Project/Cano
o 1/micky/Mail

351AddBookNewEditDelete

Sel: 6

355Subject

356Message

357File Name

362☐ Cover Page

363☐ Put Into HD

364☐ Print Out

365

Scan Setting
LTRR
300dpi
100%

366Start

SEND MAIN SCREEN 361

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

24 / 71

FIG. 24

COPY

SEND

RETRIEVE

TASKS

MGMT

CONFIG

Destination

Sel: 0

Touch the button on the bottom for sending

select from

Add Book

Input

New Address

◀

▶

AddBook

New

Edit

Delete

Subject

Message

File Name

☐ Cover Page

☐ Put Into HD

☐ Print Out

Scan Setting

LTRR

300dpi

100%

Start

371


SEND INITIAL SCREEN

662060" 00336600

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

25 / 71

FIG. 25



62060" 03303000

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

26 / 71

FIG. 26

395 396 397 398 399

394 393 392 391

Sort by... Sel Class Name Δ Name ∇ Set 2

Carrot System TASKS/Canon Inc./JP

Minny Rabbit/JiJi Team/Carrot Pro

CanonGP/JiJi Team/Carrot Project/C

LBP-BEAN/JiJi Team/Carrot Project/

HOME/JiJi Team/Carrot Project/Cano

Search Detail

Cancel OK

ADDRESS BOOK SCREEN

662663 00333650

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

27 / 71

FIG. 27

403

◀

▶

cn :
mail :
telephoneNumber :
telephoneNumber :
facsimileTelephoneNumber :
postalAddress :
defaultPrinter :
ftp :
deliveryMethod :
deliveryMethod :
c :

Minny Rabbit
minny@abc.def.com
123-45678
+12(3) 4567 8901
+12(3) 4567 9876
30-2, Shimomaruko 3-Chome, Ota-ku, Tokyo 146, Jap
LBP-BEAN/Jiji Team/Carrot Project/Canon Inc/J
BEAN
e-mail
fax
JP

402

401

Close

DETAILED INFORMATION SCREEN

662060" 00333660

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG. 28

The diagram illustrates an ADDRESS SEARCH SCREEN (411) with the following components and labels:

- 417**: A horizontal bar containing a dropdown menu (416) with "Everything" selected, followed by the text "the" (418), another dropdown menu (419) with a right arrow, the text "contains" (420), a third dropdown menu (421) with a right arrow, and the text "Local Address Book" (424).
- 422**: An empty input field located below the "contains" dropdown.
- 425**: A "Do Search" button located to the right of the "Local Address Book" dropdown.
- 426**: A "Detail" button located below the "Do Search" button.
- 412**: A large rectangular display area in the center of the screen.
- 413**: Two small navigation buttons (left and right arrows) located to the right of the display area.
- 414**: A search criteria section containing:
 - "Sel" (selected) and "Class" (input field)
 - "Name" (input field) and "Name" (dropdown menu with a downward arrow)
 - "Set" (input field) and "0" (input field)
- Search Result 0**: Text displayed below the search criteria section.
- 427**: A horizontal bar at the bottom containing "Cancel" and "OK" buttons.
- 428**: The overall label for the ADDRESS SEARCH SCREEN.

66263" 0098860

FIG. 29

Everything

Person

Printer

Data Base

Group

Everything

the

Common Name

▼

contains

▼

in

Local Address Book

▼

Do Search

△

Name ▼

Set 0

◀

▶

Detail

Search Result 0

Cancel

OK

SEARCH OBJECT CLASS LIST

431

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

30 / 71

FIG. 30

Everything

▼

the

contains

▼

Address Book

▼

Do Search

Common Name

▼

Common Name

Address

Country

Owner

Location

Model

◀

▶

Set

0

◀

▶

Detail

Sel

Class

Name

△

Search Result

0

Cancel

OK

SEARCH OBJECT ATTRIBUTE LIST

441

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

31 / 71

FIG. 31

Everything

▼

the

Common Name

▼

Do Search

Sel

Class

Name

△

Name

▽

in

Local

contains

is

isn't

contains

doesn't contain

▼

Detail

451

Cancel

OK

Search Result

0

SEARCH OBJECT CONDITION LIST

662060" 009888660

FIG. 32

Do Search

Detail

461

Local Address Book

Local Address Book

Search Result

LDAP server1

LDAP server2

LDAP server3

Search Result 0

Cancel

OK

SEARCH OBJECT ADDRESS BOOK LIST

FIG. 33

Everything

▼

the

Common Name

▼

contains

▼

in

Local Address Book

▼

Do Search

Sel

Class

Name ▲

Name ▼

Set 3

472

Carrot System TASKS/Canon Inc/JP

Minny Rabbit/Jiji Team/Carrot Pro

CanonGP/Jiji Team/Carrot Project/C

412

LBP-BEAN/Jiji Team/Carrot Project/

471

HOME/Jiji Team/Carrot Project/Cano

▲

▼

Detail

Search Result 5

428

427

415

Cancel

OK

SEARCH RESULT EXAMPLE

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

35 / 71

FIG. 36

512 minny@abc.def.com Setting

513 +12(3) 4567 9876 Setting

514 LBP-BEAN/JiJi Team/Carrot Project/C Setting

515 BEAN Setting

Save Cancel OK

511

DETAILED ADDRESS (PERSON)

FIG. 37

522 Data Base Name HOME/JiJi Team/Carrot Proj

523 1/micky/Mail
2/micky/Mail
3//Work

524

525

526 Cancel

527 OK

521

DETAILED ADDRESS (DATABASE)

00983260

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG. 38

Micky Rabbit/JiJi Team/Carrot Projct
Minny Rabbit/JiJi Team/Carrot Projct

▲

▼

Cancel

OK

532

533

534


535

536

531

DETAILED ADDRESS (GROUP)

FIG. 40



662660"00988260

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

39 / 71

FIG. 41

571

☐ Copies

☐ Paper Select

☐ Zoom

☐ Footer/Header

☐ Sorter

☐ Resolution

Margin

Shift

Overlay

N on 1

Image Creation

A4

A3

A4

A4R

A5

A5R

B4

1

+

-

<

>

>

capability

Cancel

OK

PAPER SIZE LIST

000000"00000000

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

41 / 71

FIG. 43

596 597 599

592 593 594 603 604 605

595 598 600 601 602 606 607

SCAN SETTING SCREEN

Preset Mode

Photo

Text

Photo Text

News Paper

Draft

Not Defined

593

594

Setting

595

598

600

601

602

606

607

OK

Cancel

Aria Desig.

Overlay

Sharpness

A3

300

Gray

AE

Exposure

Scan Mode

Resolution

Paper Select

Data size KB

FIG. 45

Figure 1 is a schematic diagram of a printer control panel. The panel is divided into several sections. At the top left is a "Preset Mode" section with icons for Photo, Text, News Paper, Draft, and Not Defined. Below this is a "Data size" section showing a landscape image and "KB" units. The main control area includes checkboxes for "Paper Select", "Resolution", "Scan Mode", and "Exposure". To the right of these are buttons for "A3", "300", "Gray", and "Black & White". Further right are buttons for "Aria Desig.", "Overlay", and "Sharpness". At the bottom right are "Cancel" and "OK" buttons. A reference numeral "621" points to the "Gray" button.

SCAN MODE LIST

Figure 1 is a schematic diagram of a printer's control panel. The panel is divided into several sections. On the left, there's a 'Preset Mode' section with icons for Photo, Text, News Paper, and Draft, each with a corresponding label. Below these are navigation buttons (left arrow, right arrow) and a 'Setting' button. The main area contains a 'Paper Select' section with checkboxes for Resolution, Scan Mode, and Exposure. Below this is a 'Data size' section with a 'KB' label. A large 'Aria Design.' section is on the right, featuring a list of paper sizes (A4, A3, A4R, A5, A5R) with A4R selected, and buttons for 'Overlay' and 'Sharpness'. At the bottom right are 'Cancel' and 'OK' buttons. A reference numeral '631' points to the 'Aria Design.' section.

PAPER SIZE LIST

FIG. 47





FIG. 48



00000"00983E00

FIG. 49

The diagram illustrates the 'E-MAIL SUB SCREEN' interface. It features a top navigation bar with buttons for COPY, SEND, RETRIEVE (highlighted with diagonal lines), TASKS, MGMT, and CONFIG. Below this is a main content area with a left sidebar containing WWW, E-Mail (highlighted with diagonal lines), Fax, and FTP Server. The central area contains a large rectangular frame (683) with input fields for Server (681), Login Name (682), and Password (684). Below these fields are checkboxes for 'Delete From Server' and 'Put Into HD'. A 'Print Setting' box in the bottom right corner displays 'LTRR', '200dpi', and '100%' along with a printer icon. A 'Start' button is located at the bottom right of the screen.

E-MAIL SUB SCREEN

00000" 00983260

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

48 / 71

FIG. 50

The diagram illustrates a 'FAX SUB SCREEN' interface. At the top, a horizontal menu bar contains buttons for 'COPY', 'SEND', 'RETRIEVE' (highlighted with diagonal hatching), 'TASKS', 'MGMT', and 'CONFIG'. Below this, the main area is divided into several sections. On the left, there is a vertical stack of buttons: 'WWW', 'E-Mail', 'Fax' (highlighted with diagonal hatching), and 'FTP Server'. The 'Fax' button is labeled with reference numeral 644. To the right of these buttons is a large rectangular area labeled 691. Inside this area, there is a 'Fax Number' label above a long input field, which is labeled with reference numeral 692. Below the input field is a checkbox labeled 'Put Into HD'. To the right of the input field is a 'Print Setting' box containing a printer icon, the text 'LTRR', '200dpi', and '100%'. At the bottom of the screen is a horizontal bar with a 'Start' button on the right. The entire screen is labeled 'FAX SUB SCREEN' at the bottom.

FIG. 51

The screenshot displays the 'FTP SUB SCREEN' interface. At the top, there is a horizontal menu bar with buttons: COPY, SEND, RETRIEVE (highlighted with diagonal lines), TASKS, MGMT, and CONFIG. Below this, the main area is divided into several sections. On the left, there are three buttons: WWW, E-Mail, and Fax. To their right, there is a large rectangular area labeled 701 containing input fields for 'Server' (702), 'Login Name' (704), and 'Password' (705). Below these fields is a checkbox labeled 'Delete From Server' (705). To the right of the input fields is a button labeled 'Put Into HD'. Below the input fields, there is a button labeled 'FTP Server' (644) which is also highlighted with diagonal lines. At the bottom of the screen, there is a 'Print Setting' box showing 'LTRR', '200dpi', and '100%' with a printer icon. On the far right, there is a 'Start' button. The entire interface is labeled 'FTP SUB SCREEN' at the bottom.

FTP SUB SCREEN

FIG. 53





FIG. 54



66266" 00303E60

FIG. 55

Time

10:00

-

+

Once

Weekly

Monthly

Month

Jan

-

+

Data

1

-

+

Cancel

OK

CHECK TIME SUB SCREEN (ONCE)

00988600 00000000

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG. 56

Time

10:00

-

+

Once

Weekly

Monthly

☐ Sun

☐ Mon

☐ Tue

☒ Wed

☐ Thu

☐ Fri

☐ Sat

Cancel

OK

CHECK TIME SUB SCREEN (WEEKLY)

66000" 00988E00

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

55 / 71

FIG. 57

Time

10:00

+

-

Once

Weekly

Monthly

Data

1

+

-

774

791

Cancel

OK

CHECK TIME SUB SCREEN (MONTHLY)

FIG. 58

306

COPY

SEND

RETRIEVE

TASKS

MGMT

CONFIG

job

Address Book

Bookmark

Document

Account

Function

All

Status

Waiting

Priority

Time

Title

User

◀

▶

Priority

▶

◀

Print List

Delete

Suspend

801

Start

MANAGEMENT MAIN SCREEN

FIG. 59

307

COPY

SEND

RETRIEVE

TASKS

MGMT

CONFIG

Network

E-Mail/WWW

Directory

User ID

Maintenance

Time

☐ DHCP

IP Address

111.222.111.000

SubNetMask

111.111.111.0

DefaultGateway

222.222.222.222

Setting

☒ DNS Server

Host Name

PPP01

Domain Name

aaa.ccccc.co.jp

DNS Search Order

111.000.000.1

222.000.000.1

Setting

Priority

▼


▲

Start

811

CONFIGURATION MAIN SCREEN

FIG. 60



ERROR SCREEN

FIG. 61




FIG. 62





FIG. 63



00000"00988260

62260"00988260

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

62 / 71

FIG. 65A




FIG. 65B





FIG. 66



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

64 / 71

FIG. 67

WIDTH
LINES
SOURCE

FIG. 68

BOOK NO.
FEED_REQ
IMAGE_START
IMAGE_REQ
IMAGE_END
SHEED_OUT

562250"00988660

652050" 00533465

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

65 / 71

FIG. 69





FIG. 70



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

67 / 71

652060" 00983E60


FIG. 71

ID NUMBER	PASSWORD	USER'S NAME	ADDITIONAL INFORMATION
010331 --0100	XXXXXXXXXX	Keith	
010331 --0101	XXXXXXXXXX	Michael	EXTENSION 100 -- 1523
.	.	.	.
.	.	.	.
.	.	.	.
020224 --0113	XXXXXXXXXX	Mary	DEVELOPMENT DIVISION
.	.	.	.
.	.	.	.
.	.	.	.

921 { 922 { 923 { 924 { 902 {


USER REGISTRATION TABLE

FIG. 72



662060" 003333E50

FIG. 75



662000 "00988660